
The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.

Refer to protection notice ISO 16016.



-	-	12.09.2023	WAA		Ersteller Datum: 12.09.23 Alexander.Wambold	Genehmigt Datum:	Lebenszyklus-Status Wird bearbeitet
Version	Änderung	Datum	Name				

ERLAU®
EINE MARKE DER RUD GRUPPE

Anlehnbügel Patio ortsfest

Masse in kg: 8.405


Zeichnungsnummer	Artikelnummer	Maßstab	Mappen- / Projektnummer	Sprache	Blatt
003-M1692-90-4	-	1:10	-	DE	1 / 1

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.

Schutzvermerk ISO 16016 beachten.

The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.

Refer to protection notice ISO 16016.



Version	Änderung	Datum	Name
-	-	12.09.2023	WAA

Ersteller: Alexander.Wambold — Datum: 12.09.23

Genehmigt — Datum:

Lebenszyklus-Status: Wird bearbeitet

ERLAU® EINE MARKE DER RUD GRUPPE

Anlehnbügel Patio FP0

Masse in kg: 8.438


Zeichnungsnummer	Artikelnummer	Maßstab	Mappen- / Projektnummer	Sprache	Blatt
003-M1693-90-4	-	1:10	-	DE	1 / 1

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.

Schutzvermerk ISO 16016 beachten.

The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.

Refer to protection notice ISO 16016.



Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.

Schutzvermerk ISO 16016 beachten.

Version	Änderung	Datum	Name
-	-	12.09.2023	WAA

ERLAU®
EINE MARKE DER RUD GRUPPE

Ersteller: Alexander.Wambold — Datum: 12.09.23

Genehmigt — Datum:

Lebenszyklus-Status: Wird bearbeitet


Anlehnbügel Patio m. Auflage ortsfest

Masse in kg: 11.938

Zeichnungsnummer	Artikelnummer	Maßstab	Mappen- / Projektnummer	Sprache	Blatt
003-M1692-91-4	-	1:10	-	DE	1 / 1

The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.

Refer to protection notice ISO 16016.



-	-	12.09.2023	WAA		Ersteller Datum: 12.09.23 Alexander.Wambold	Genehmigt Datum:	Lebenszyklus-Status Wird bearbeitet
Version	Änderung	Datum	Name				

ERLAU®
EINE MARKE DER RUD GRUPPE

Anlehnbügel Patio m. Auflage FP0

Masse in kg: 11.971

Zeichnungsnummer	Artikelnummer	Maßstab	Mappen- / Projektnummer	Sprache	Blatt
003-M1693-91-4	-	1:10	-	DE	1 / 1

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.

Schutzvermerk ISO 16016 beachten.